



新彩陶石色卡

- Faience stone paint -

 **anlei万磊®**

Y2B

彩陶石工程案例

CASE STUDY OF CAITAOSHI PROJECT



嘉兴中心幼儿园扩建工程



马尔代夫（卡尼富士岛）水屋



三亚瑰丽酒店



成都都江堰建筑艺术馆



庐境天台度假酒店



苏州碧螺湾售楼处&会所



方直香山墅样板房



彩陶石案例赏析




一遍施工即可成型
One time construction can be formed



不留任何批刀痕
No knife marks left



省工更省料
Save labor and materials




沉浆技术 示意图

喷涂万磊罩面漆

主材施工第一遍

万磊沉浆砂底



施工差异 示意图

沉浆™技术

WANLEI CHEN JIANG TECHNOLOGY

我们在质感系列的涂料中添加了一种活性成分，它将使得遮盖物吸附于基底，形成先从底面干燥再到表面干燥的逆向顺序，有效形成了对基底的保护层。底面干燥后，能杜绝表面施工受到的影响。因此，能保证底面不发花，不返底。

我们将这种技术称为万磊“沉浆技术”。

好的产品，仅需一次施工到位。

Our textured wall paint formula added an active ingredient , which will make the covering adsorb on the substrate,effectively forming a protective layer.After the bottom surface dry, it can prevent the surface construction without any bad effect. Therefore, it can ensure that the bottom film does not floating.

We call it "Wanlei Chen Jiang Technology".

Good paint only need one construction finished

- ★ 配套彩陶石专用底涂，一遍成型
Supporting special primer for Faience stone paint, one construction finished.

新彩陶石，相对于传统仿石漆而言，新彩陶石将更加注重砂粒之间的自然排布，全新的彩陶石在科学的配比，不会带有任何棘手的感 觉。

这种饱满度极高的砂石，低至一遍施工即可成型，不留任何批刀痕，省工更省料。

Compared with the traditional imitation stone paint, faience stone paint display the serried ranks of natural color sand. With scientific formula, you will not feel any thorny touch.


This paint can be applied for wall just need 1 coating, without any batch marks, saving labor and materials.



JCT - 1960



JCT - 1962



JCT - 1961



JCT - 1963



注意：由于石材来源于天然，颜色有少许偏差实属正常，间隔时间 提货，颜色有所偏差，恕不另行通知。

Note: due to the natural source of stone, it is normal that there is a little deviation in color. It is normal to pick up the goods at an interval. If there is a deviation in color, no notice will be given.



- 参考用量(底漆) : 3-4m²/kg
- 彩陶石主材(平批) : 1.5-2kg/m²
- 面漆 : 6-8m²/kg
- 产品净重 : 25 kg
- 配套工具 : 羊毛辊筒、不锈钢批刀
- Primer Coverage : 3-4m²/kg
- Main Material Coverage (scrap) : 1.5-2kg/m²
- Top Coating Coverage : 6-8m²/kg
- N.W. : 25 kg
- Application tools : Wool roller, stainless steel trowel



JCT-1964



JCT-1965



JCT-1966



JCT-1967



JCT-1968



JCT-1956



JCT-1969



JCT-1970




JCT-1971



JCT-1957



JCT-1972



JCT-1973




JCT-1974



JCT-1959



JCT-1975



JCT-1976

注意：由于石材来源于天然，颜色有少许偏差实属正常，间隔时间提货，颜色有所偏差，恕不另行通知。

Note: due to the natural source of stone, it is normal that there is a little deviation in color. It is normal to pick up the goods at an interval. If there is a deviation in color, no notice will be given.

•施工方法及步骤：

- ① 辊涂1-2遍万磊沉浆砂底
- ② 平批一遍主材, 不透底后平压收光
- ③ 辊涂万磊罩面漆（有光 或 哑光）

•执行标准：

JG/T24-2000 《合成树脂乳液砂壁状建筑涂料》
GB 18582-2008《室内装饰装修材料内墙涂料中有害物质限量》

• Application：

- ① Roll 1-2 times of Wanlei waterproof sand primer
- ② Scrap the main material 1 coat, then pressed and polished
- ③ Roll Wanlei top coating (glossy or matte)

• Industry standard：

JG/T24-2000 "synthetic resin emulsion sand wall architectural coatings"
GB 18582-2008 limits of harmful substances in interior decoration materials and interior wall coatings



JCT-1977



JCT-1978



JCT-1979



JCT-1980



JCT-1958



JCT-1981



JCT-1982



JCT-1983



JCT-1984



JCT-1985



JCT-1986



JCT-1987




JCT-1988



JCT-1989



JCT-1990



JCT-1991

注意：由于石材来源于天然，颜色有少许偏差实属正常，间隔时间提货，颜色有所偏差，恕不另行通知。

Note: due to the natural source of stone, it is normal that there is a little deviation in color. It is normal to pick up the goods at an interval. If there is a deviation in color, no notice will be given.

石文化系列 9 大优势

- ✓ 施工无阻力
Easy to construct
- ✓ 无接茬
No lapping defect
- ✓ 防返白
No whitening
- ✓ 无流挂
No curtains
- ✓ 平滑丰满
Smooth and saturation
- ✓ 真石效果
Natural stone effect
- ✓ 保水性强
Strong water retention
- ✓ 长保不分层
Long service life
- ✓ 超低损耗
Ultra low loss material



S T O N E

万磊建筑涂料有限公司
WANLEI BUILDING PAINT CO.,LTD



广东生产基地（代码 FS）
广东省佛山市南海区松岗万石工业区

广州分公司
广州市荔湾区羊城装饰材料市场118号

广西生产基地（代码 QT）
广西壮族自治区贵港市覃塘区产业园甘化园区

南宁分公司
广西壮族自治区南宁市兴宁区快环建材市场

全国客服热线
4000-147-187
www.fswanlei.com

△ 注意：
公司根据产品技术和发展需要，有权对产品配方进行更新升级，而不对外另行公布，请以最新样板册颜色为准，不便之处，敬请原谅！